CORRECTION Open Access

Correction to: Use of an oxygen planar optode to assess the effect of high velocity microsprays on oxygen penetration in a human dental biofilms in-vitro



Yalda Khosravi¹, Rala D. P. Kandukuri², Sara R. Palmer³, Erin S. Gloag¹, Sergey M. Borisov⁴, E. Michelle Starke⁵, Marilyn T. Ward⁵, Purnima Kumar³, Dirk de Beer², Arjun Chennu² and Paul Stoodley^{1,6,7*}

Correction to: BMC Oral Health 20, 230 (2020) https://doi.org/10.1186/s12903-020-01217-0

After publication of the original article [1], the authors identified errors in the authors' names of Sara R. Palmer and Rala D.P. Kandukuri.

The incorrect authors' names are: Sara Palmer and Raja Durga Prasad Kandukuri.

The correct authors' names are: Sara R. Palmer and Rala D.P. Kandukuri

The author group has been updated above and the original article [1] has been corrected.

Author details

¹Department of Microbial Infection and Immunity, Ohio State University, Columbus, USA. ²Max Planck Institute for Marine Microbiology, Bremen, Germany. ³College of Dentistry, The Ohio State University, Columbus, OH, USA. ⁴Institute of Analytical Chemistry and Food Chemistry Graz University of Technology Stremayrgasse, Graz, Austria. ⁵Philips Oral Healthcare, Bothell, Washington 98021, USA. ⁶Department Orthopaedics, Ohio State University, Columbus, USA. ⁷National Centre for Advanced Tribology (nCATS), Mechanical Engineering, University of Southampton, Southampton, UK.

Published online: 04 September 2020

Reference

 Khosravi Y, et al. Use of an oxygen planar optode to assess the effect of high velocity microsprays on oxygen penetration in a human dental

The original article can be found online at https://doi.org/10.1186/s12903-020-01217-0.

⁶Department Orthopaedics, Ohio State University, Columbus, USA Full list of author information is available at the end of the article



biofilms in-vitro. BMC Oral Health. 2020;20:230. https://doi.org/10.1186/s12903-020-01217-0.

© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons sience and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*} Correspondence: paul.stoodley@osumc.edu

¹Department of Microbial Infection and Immunity, Ohio State University, Columbus, USA